

# ACRO industries

A privately owned Canadian Gasket Manufacturer "Providing Superior Sealing Solutions for Progressive Companies Worldwide."

#### **SAMPLES**



We die cut, vulcanize, hand build and fabricate all types of compressed, elastomeric, fiber and textile materials.









Material: SC41 NEOPRENE / EPDM BLEND CLOSED CELL SPONGE

Applications: WEATHER STRIPPING





Material: DURLON 8500 – ARAMID INORGANIC FIBER WITH NBR RUBBER BINDER

Applications: PUMP CASING





Material: DURLON 8500 – ARAMID INORGANIC FIBER WITH NBR RUBBER BINDER


Applications: PIPE FLANGE





Material: DURLON 8500 – ARAMID INORGANIC FIBER WITH NBR RUBBER BINDER

Applications: THERMAL HEATING ELEMENT





Material: SC41 SPONGE - OPEN CELL

Applications: MOUNTING PAD (FOR EMERGENCY LIGHT)





Material: VITON SPONGE FOAM


Applications: HIGH TEMPERATURE APPLICATIONS





Material: VITON 1/32" Thick

Applications: SECURITY DEVICE – DETECTION EQUIPMENT





Material: CLOSED CELL NEOPRENE / EPDAM BLEND with ADHESIVE BACKING

Applications: PLUMBING





Material: HYPURCEL MICROCELLULAR POLYURETHANE FOAM - OPEN CELL


Applications: LIGHTING INDUSTRY





Material: SC41 EPDM / NEOPRENE SPONGE FOAM

Applications: SPACER





Material: NEOPRENE RUBBER – 1/8" Thick

Applications: ELECTRIC MOTORS





Material: VITON 1/32" Thick

Applications: SECURITY DEVICE – DETECTION EQUIPMENT





Material: SILICONE – 60 Durometer

Applications: HIGH TEMPERATURE APPLICATIONS





Material: SC41 NEOPRENE / EPDM CLOSED CELL SPONGE FOAM

Applications: ELECTRICAL RELAY BOX





Material: GREY SILICONE SPONGE MEDIUM DENSITY 1/8" Thick

Applications: ELECTRICAL UNIT





Material: WHISPERMAT WM 2 ACOUSTICAL FOAM

Applications: NOISE BARRIER for FAN HOUSING or A/C UNIT





Material: WHITE SILICONE SPONGE – MEDIUM DENSITY Applications: CHEMICAL RADIATION DETECTION EQUIPMENT






Material: VOLARA - CLOSED CELL POLYETHYLENE FOAM

Applications: FOAM PADDING, PACKAGING, FLOATATION EQUIPMENT





Material: WHITE SILICONE SPONGE MEDIUM DENSITY
Applications: CHEMICAL RADIATION DETECTION EQUIPMENT





Material: CERAMIC FIBER BLANKET

Applications: HIGH TEMPERATURE INSULATION – FURNACES, GAS TURBINES





Material: WHITE TEFLON 0.010" Thick


Applications: SECURITY DETECTION EQUIPMENT





Material: NOMEX 5300 AA

Applications: FLAME RETARDANT MATERIAL





Material: POLYURETHANE FOAM with ADHESIVE ON 1 SIDE

Applications: NOISE BARRIER



#### Contact Us





#### **Head Office & Manufacturing Facility**

7925 Goreway Drive Brampton, ON L6T 5J7 Canada

PH. 905 795 9830

FX. 905 795 9831

#### Peter Borysko Business Development Manager

Office: 905 795 9830 x 210

Email: pborysko@acroindustries.com

#### Robert Schacter President

Email: rschacter@acroindustries.com

#### Manh Tran Production Manager

Office: 905 795 9830 x 221

Email: mtran@acroindustries.com

#### Philippe Cantin

**Sales Representative** 

Mobile: 515 774 5389

Email: pcantin@acroindustries.com